



**GRAVITY CAST PVT. LTD.**  
**GRAVITY GROUP OF COMPANIES**

## Material - IS 320 Grade HT 2

### Standard Specification for High Tensile Brass Rods and Sections

Group - Non-Ferrous Copper Alloy

Sub Group - IS 320 High Tensile Brass Rods and Sections

Application - Intended for Valve, Pump, General Engineering, Automotive and Other Industries

Grade Belongs to the Industry - Rod and Section

Chemical Composition			Heat Treatment	
Tin	Sn %	1.000 max.	Stress Relieving or As Roll	
Lead	Pb %	0.500 -1.500		
Iron	Fe %	0.200 - 1.500		
Manganese	Mn %	0.500 - 2.000		
Aluminium	Al %	0.300 - 2.000		
Antimony	Sb %	0.020 max.		
Other	Ot%	0.500 max.		
Cu + Ni	Cu%+Ni%	56.000 - 61.000		
Zinc	Zn %	Balance	Mechanical Properties	
-	-	-	Tensile Strength in Mpa	460 min.
-	-	-	Yield Strength in Mpa	280 min.
-	-	-	Elongation in %	20 min.
-	-	-	Reduction of Area in %	-
-	-	-	0	-
-	-	-	Impact in Joule	-

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

**Further any inquiry to discuss with Gravity Cast Pvt. Ltd. – Gravity Group of Companies team member Call on +918469160029, or email [marketing@gravitycastindia.com](mailto:marketing@gravitycastindia.com)**

All information in our data sheets and website is indicative only and is not intended to be a substitute for the full specification from which it is extracted. It is intended to provide typical values to allow comparison between metal alloy option rather than a definitive statement of mechanical performance or suitability for a particular application as these will vary with temperature, product type and product application. It is presented apart from contractual obligations and does not constitute any guarantee of properties or of processing or application possibilities in individual cases. Our warranties and liabilities are stated exclusively in our terms of business.

**ONE STOP SOLUTION FOR METAL PARTS**