



GRAVITY CAST PVT. LTD.
GRAVITY GROUP OF COMPANIES

Material - BS 2874 CZ 112

Standard Specification for Copper and Copper Alloy Rods and Sections

Group - Non-Ferrous Copper Alloy

Sub Group - BS 2874 Copper and Copper Alloy Rods and Sections

Application - Intended for Valve, Pump, General Engineering, Automotive and Other Industries

Grade Belongs to the Industry - Rod and Section

Chemical Composition			Heat Treatment	
Tin	Sn %	1.000 - 1.400	Normalizing or Annealing or Tempering	
Other	Ot%	0.700 max.		
Copper	Cu %	61.000 - 63.500		
Zinc	Zn %	Balance		
-	-	-		
-	-	-		
-	-	-		
-	-	-		
-	-	-		
-	-	-		
			Mechanical Properties	
			Tensile Strength in Mpa	310 - 400
			Yield Strength in Mpa	-
			Elongation in %	15 - 25
			Reduction of Area in %	-
			Hardness in BHN	-
			Impact in Joule	-

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
CuZn36Sn1	IS	India	Plate
CuZn37 (A)	IS	India	Plates
464B	AS	Australia	Forging
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

Further any inquiry to discuss with Gravity Cast Pvt. Ltd. – Gravity Group of Companies team member Call on +918469160029, or email marketing@gravitycastindia.com

All information in our data sheets and website is indicative only and is not intended to be a substitute for the full specification from which it is extracted. It is intended to provide typical values to allow comparison between metal alloy option rather than a definitive statement of mechanical performance or suitability for a particular application as these will vary with temperature, product type and product application. It is presented apart from contractual obligations and does not constitute any guarantee of properties or of processing or application possibilities in individual cases. Our warranties and liabilities are stated exclusively in our terms of business.

ONE STOP SOLUTION FOR METAL PARTS